

ARGOS




www.unilamp.co.th/en/p/argos

■ WALL UP-DOWNLIGHT



Robust and rectangular in appearance, **ARGOS** offers a wide variety of lighting effects. This is a wall light with simple geometric shape, which is suitable for facade application. It can illuminate both upward and downward or in single direction depending on the desired lighting scheme. Through out state of art engineering and precise manufacturing processes offer reliable dust and water ingress protection of the luminaires. The quality LED modules deliver brilliant color rendering with high color consistency while maintaining a high-value luminaire efficiency.

HALMSTAD CENTRAL RAILWAY STATION – SWEDEN





1. LED Module

High Power LED in SMD/COB technology.
2700K, 3000K and 4000K.
CRI >80 / 3-Step MacAdam Ellipse.

2. Safety Glass

Ultra white safety tempered glass cover.
Protect against mechanical impact.
Withstand the temperature up to 250°C

3. Control Gear

High quality Constant Current driver.
Conforms to safety and EMC regulation.

4. Body Housing

Enhanced LM6 die-cast aluminium body.
Low copper content (<0.1%)
Utilize 16 stages pre-treatment and coating process.



Specification


- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Weather proof TPE grommet.
- Installation must be carried out according to the enclosed product manual.

Available Color

Black	[replace the last 2 digits of ordering code with O1]
Graphite	[replace the last 2 digits of ordering code with O2]
Dark Grey	[replace the last 2 digits of ordering code with O3]
Aluminium Silver	[replace the last 2 digits of ordering code with O4]
White	[replace the last 2 digits of ordering code with O6]
Wooden Brown	[replace the last 2 digits of ordering code with O7]

ARGOS


Mini ARGOS 1
Wall Downlight




Mini ARGOS 2
Wall Downlight with Blade Effect





Mini ARGOS 3
Wall Up/Downlight



Mini ARGOS 4
Wall Up/Downlight with Blade Effect



Mini ARGOS 5
Wall Up/Downlight with Blade Effect



Mini ARGOS

WALL UP-DOWNLIGHT

Mini ARGOS 1 - Wall DownLight / 5401

Mini ARGOS 2 - Wall Down Light with Blade Effect / 5403

Mini ARGOS 3 - Wall Up/Downlight / 5405

Mini ARGOS 4 - Wall Up/Down Light with Blade Effect / 5407

Mini ARGOS 5 - Wall Up/Down Light with Blade Effect / 5409

Luminaire Performance

120 - 1900 lm

6.4 - 19 W

17 - 100 lm/W

Beam Options



Color Temperature

2700K/ 3000K/ 4000K

Controller

Remote Driver DALI
Built-in Driver On-Off/ DALI

Accessories



CV-Driver