




Standard MARS ARCHITECTURAL OL SA Surface  
Typ 42 External



**Werkstoffe und Farb-Varianten  
/ Material and Color options:**

- E6/C0 / 15-20µm / Aluminium Silber / silver
- E6/C35 / 15-20µm / Aluminium Schwarz / black
- RAL9003 Weiß gepulvert / white powder-coated

**VarioCable:**



**Toleranzen und Längen / Tolerances and Lengths:**

Toleranz / Tolerance:  $\pm 1 \text{ mm} / 0.04 \text{ inch}$

Lmin Mono: 387 mm; Lmax: 3012 mm; in 125 mm increments  
Lmin IQW: 325 mm; Lmax: 3012 mm; in 62.5 mm increments  
Lmin RGBW: 45 mm; Lmax: 3012 mm; in 83.333 mm increments




Lmin Mono: 15.24 inch; Lmax: 118.58 inch; in 4.92 inch increments  
Lmin IQW: 12.80 inch; Lmax: 118.58 inch; in 2.46 inch increments  
Lmin RGBW: 3.58 inch; Lmax: 118.58 inch; in 3.28 inch increments

| LED LINEAR<br>lighting solutions |            | General tolerances |          | Material                         |
|----------------------------------|------------|--------------------|----------|----------------------------------|
| Item No.                         | 53 03 2020 | Material           | Aluminum | Art.-No.:                        |
| Item No.                         | 53 03 2022 | Material           | Aluminum | Title:                           |
| Item No.                         | 53 03 2023 | Material           | Aluminum | MARS ARCHITECTURAL OL SA Surface |
| Item No.                         | 53 03 2024 | Material           | Aluminum | Typ 42 External                  |
| Item No.                         | 53 03 2025 | Material           | Aluminum | Drawing number:                  |
| Item No.                         | 53 03 2026 | Material           | Aluminum | VT 511.0042 B                    |
| Item No.                         | 53 03 2027 | Material           | Aluminum | Scale:                           |
| Item No.                         | 53 03 2028 | Material           | Aluminum | 1:1                              |
| Item No.                         | 53 03 2029 | Material           | Aluminum | Sheet/4                          |
| Item No.                         | 53 03 2030 | Material           | Aluminum | 42                               |

Refer to protection  
notice ISO 16016


Scale: 1:1  
Sheet/4: 42

Standard MARS ARCHITECTURAL OL SA Surface  
Typ 62 External



**Werkstoffe und Farb-Varianten / Material and Color options:**

- E6/C0 / 15-20µm / Aluminium Silber / silver
- E6/C35 / 15-20µm / Aluminium Schwarz / black
- RAL9003 Weiß gepulvert / white powder-coated



**Toleranzen und Längen / Tolerances and Lengths:**




Toleranz / Tolerance: ± 1 mm / 0.04 inch

Lmin Mono: 387 mm; Lmax: 3012 mm; in 125 mm increments  
Lmin IQW: 325 mm; Lmax: 3012 mm; in 62,5 mm increments  
Lmin RGBW: 445 mm; Lmax: 3012 mm; in 83,333 mm increments

Lmin Mono: 15,24 inch; Lmax: 118,58 inch; in 4,92 inch increments  
Lmin IQW: 12,80 inch; Lmax: 118,58 inch; in 2,46 inch increments  
Lmin RGBW: 13,58 inch; Lmax: 118,58 inch; in 3,28 inch increments

|  |  |              |  |   |  |                                      |  |   |  |
|--|--|--------------|--|---|--|--------------------------------------|--|---|--|
| <b>LED LINEAR™</b><br>lighting solutions |  |              |  | Material edges according to DIN ISO 13715 |  | General tolerances DIN ISO 2768-1/-2 |  | Material:   |  |
| Date                                     |  | Name         |  | Drawn                                     |  | Art.-No.:                            |  | Title:  |  |
| 16.09.2022                               |  | Zeyen        |  | 16.09.2022                                |  | Weßels                               |  | MARS ARCHITECTURAL OL SA Surface<br>Typ 62 External |  |
| Controlled                               |  | Approved     |  | Refer to protection notice ISO 16016      |  | Drawing number:                      |  | Surface details acc. to DIN ISO 1308 in Ra/Rank 2   |  |
| VT 511.0042 B                            |  | Scale        |  | Sheet                                     |  | 2/4                                  |  | A2  |  |
| Replacement for:                         |  | Replaced by: |  |   |  |                                      |  |   |  |

Standard MARS ARCHITECTURAL OL SA Surface  
Typ 62 Internal



**Werkstoffe und Farb-Varianten / Material and Color options:**

- E6/C0 / 15-20µm / Aluminium Silber / silver
- E6/C35 / 15-20µm / Aluminium Schwarz / black
- RAL9003 Weiß gepulvert / white powder-coated

**Toleranzen und Längen / Tolerances and Lengths:**





Toleranz / Tolerance: ± 1 mm / 0.04 inch

Lmin Mono: 762 mm; Lmax: 3012 mm; in 125 mm increments  
Lmin IQW: 1012 mm; Lmax: 3012 mm; in 62,5 mm increments

Lmin Mono: 30,00 inch; Lmax: 118,58 inch; in 4,92 inch increments  
Lmin IQW: 39,84 inch; Lmax: 118,58 inch; in 2,46 inch increments

|  |          |   |   |   |                                  |
|--|----------|---|---|---|----------------------------------|
| <b>LED LINEAR™</b><br>lighting solutions |          |   |   | General tolerances <small>DIN ISO 2768-1/-2</small> | Material:                        |
|  |          |   | Material edges according to DIN ISO 13715 | Art.-No.:   |                                  |
|  |          | Drawn   | 16.09.2022                                | Zeyen   | Title:                           |
|  |          | Controlled  | 16.09.2022                                | Weßels  | MARS ARCHITECTURAL OL SA Surface |
|  |          | Approved  |   |   | Typ 62 Internal                  |
|  |          | Refer to protection notice ISO 16016              |   |   | Drawing number:                  |
|  |          |   |   |   | VT 511.0042 B                    |
|  |          | Surface details acc. to DIN ISO 1304 in Ra/Rank 2 | Scale                                     | Sheet   |                                  |
|  |          | 1:1   | A2  |   |                                  |
|  |          | Replacement for:                                  | Replaced by:                              |   |                                  |
| Index                                    | Revision | Date  | Name                                      | Origin:   |                                  |
|  |          |   |   |   |                                  |

Standard MARS ARCHITECTURAL OL SA Surface  
Typ 62 Internal with Sensor



**Toleranzen und Längen / Tolerances and Lengths:**

Toleranz / Tolerance:  $\pm 1 \text{ mm} / 0.04 \text{ inch}$

Lmin Mono: 887 mm; Lmax: 3012 mm; in 125 mm increments  
Lmin IQW: 1137 mm; Lmax: 3012 mm; in 62,5 mm increments

Lmin Mono: 34,92 inch; Lmax: 118,58 inch; in 4,92 inch increments  
Lmin IQW: 44,76 inch; Lmax: 118,58 inch; in 2,46 inch increments

**Werkstoffe und Farb-Varianten / Material and Color options:**

- E6/C0 / 15-20 $\mu\text{m}$  / Aluminium Silber / silver
- E6/C35 / 15-20 $\mu\text{m}$  / Aluminium Schwarz / black
- RAL9003 Weiß gepulvert / white powder-coated

|  |                              |            |            |  |   |
|--|------------------------------|------------|------------|--|---|
| <b>LED LINEAR™</b><br>lighting solutions |                              |            |            | General tolerances <small>DIN ISO 2768-1-<br/>DIN ISO 2768-2</small> | Material:   |
|  |                              | Date       | Name       | Art.-No.:  |   |
|  |                              | Drawn      | 16.09.2022 | Zeyen  | Title:  |
|  |                              | Controlled | 16.09.2022 | Weßels   | MARS ARCHITECTURAL OL SA Surface<br>Typ 62 Internal with Sensor |
|  |                              | Approved   |            |  | Refer to protection<br>notice ISO 16016                         |
| B  | Blatt 4 mit Sensor hinzugef. | 20.03.2024 | Zeyen      | Drawing number:  | Surface details<br>acc. to DIN ISO 1308<br>in Ra/Rank 2         |
| A  | Neues RGBW Rundkabel         | 30.01.2023 | Zeyen      | VT 511.0042 B  | Scale   |
| Index                                    | Revision                     | Date       | Name       | Origin:  | Sheet4/4<br>A2  |
|  |                              |            |            | Replaced by:   |   |